

150 Heller Pl #17 W Bellmawr, NJ 08031 856-933-0801

PART #

500484

M

DESCRIPTION:


REAR BODY

92965281 instruction sheet

Rev 3.0 7/7/2009

WIRE IDENTIFICATION / INSTALLATION

ORANGE	12 volt courtesy feed	Cut this wire near the driver side kick panel and terminate with the cut off portion using terminal K. Then plug into connector A, maintain color continuity with the courtesy lamp wires in bag N. Route the other end to the dome lamp. If using a stock dome lamp, use the appropriate terminals and connectors provided, to match with your dome lamp connection.
WHITE	Courtesy ground	If using a non-stock dome lamp, cut this wire near the driver side kick panel and terminate with the cut off portion using terminal K. Then plug into connector A, maintain color continuity with the courtesy lamp wires in bag N. Route the other end to the dome lamp. If using a stock dome lamp, use the appropriate terminals and connectors provided, to match with your dome lamp connection. If using a stock dome lamp, cut this wire near the driver side kick panel and terminate with terminal B, then plug into connector A, maintain color continuity with the courtesy lamp wires in bag N.
TAN	Fuel tank sender	Route to the fuel tank sending unit, and terminate using boot L, and terminal H.
LIGHT BLUE	Third brake light	Connect to the third brake lamp, if equipped.
LIGHT GREEN	Back up lamp feed	Connect to the back up lamps, if equipped, using terminals B&D and connectors F&G.
YELLOW	LH Turn/brake	Connect to the LH tail lamp using supplied parts, as shown on sheet 3. Note: boot assemblies are included for this installation process.
DK GREEN	RH Turn/brake	Connect to the RH tail lamp using supplied parts, as shown on sheet 3. Note: boot assemblies are included for this installation process.
BROWN	Parking lamps	Connect to the tail lamp using supplied parts, as shown on sheet 3. Note: boot assemblies are included for this installation process.



LOOSE PARTS FOR THIS KIT


1947-53 Tail lamp w/ directional signal



**American
Autowire**

150 Heller Pl #17 W Bellmawr, NJ 08031 856-933-0801

1954-55 Tail lamp




WIRE IDENTIFICATION / INSTALLATION

NOTE: Cameo applications require part number 500485 rear body extension kit. (purchased separately)

ORANGE	12 volt courtesy feed	Cut this wire near the driver side kick panel and terminate with the cut off portion using terminal K. Then plug into connector A, maintaining color continuity with the courtesy lamp wires in bag N. Route the other end to the dome lamp. Use terminal C or M on this wire to connect to the lamp socket. Alternate connections are provided for the dome lamp, using terminals B & D and connectors A & E.
WHITE	Courtesy ground	Cut this wire near the driver side kick panel and terminate with the cut off portion using terminal K. Then plug into connector A, maintaining color continuity with the courtesy lamp wires in bag N. Route the other end to the dome lamp. Use terminal C or M on this wire to connect to the lamp socket. Alternate connections are provided for the dome lamp, using terminals B & D and connectors A & E.
TAN	Fuel tank sender	Route to the fuel tank sending unit, and terminate using boot L, and terminal H.
LIGHT BLUE	Third brake light	Connect to the third brake lamp, if equipped.
LIGHT GREEN	Back up lamp feed	Connect to the back up lamps, if equipped, using terminals B&D and connectors F&G.
YELLOW	LH Turn/brake	Connect to the LH tail lamp using supplied parts, as shown on sheet 1. Note: boot assemblies are included for this installation process.
DK GREEN	RH Turn/brake	Connect to the RH tail lamp using supplied parts, as shown on sheet 1. Note: boot assemblies are included for this installation process.
BROWN	Parking lamps	Connect to the tail lamp using supplied parts, as shown on sheet 1. Note: boot assemblies are included for this installation process.
BLACK	Fuel Tank Ground	Connect to the ground stud on the fuel tank sending unit, and route to a good chassis ground. Terminate using ring terminal H.

Typical Tail Lamp Assembly
(all except Cameo)



sheet 4

LOOSE PARTS FOR THIS KIT

500484

92965281 instruction sheet Rev 3.0 7/7/2009